PUNJABI UNIVERSITY PATIALA

(Entrepreneurship, Innovation and Career Hub-EICH)

Short Term E-Tender Notice

E-Tenders through electronic tendering process are invited by the undersigned from the Original Equipment Manufacturers/Approved and eligible Manufactures/Authorized Distributors/Dealers for the Purchase of a Turnkey Multi-utility food processing line (pastes, purees, pulps, jams and jellies) fulfilling the eligibility criteria mentioned herein which shall be uploaded & received on www.tenderwizard.com/PUNJAB

1. Pre-bid online conference : 18-08-2022 2:00 PM

Join Zoom Meeting

https://us02web.zoom.us/j/81800797328?pwd=aUVnb00wM3FOUG42RG9GSWIOeFZNQT09

Meeting ID: 818 0079 7328

Passcode: 958162

2. Last date and Time for receipt of Tender online: 29-08-2022 17: 00PM
3. Time and date of opening Technical bid : 30-08-2022 11:00 AM

4. Time and date of opening Financial bid : will be conveyed on the website upon verification

of technical bid documents

S.No	Item	Earnest Money (Refundable)	Tender Fees (Non-refundable)	Bid processing fees (Non-refundable)
1.	Supply of a Multiutility Food Processing	3,00,000/-	2360/-	2360/-
	line on a turnkey basis with its essential			
	accessories, at Punjabi University, Patiala.			

A bidder who has not obtained the User ID and password for participating in e-tendering may obtain the same by registering in the e-procurement portal www.tenderwizard.com/PUNJAB. The tenderers once registered can participate in any of the department tenders. For any clarification contact, 0172-5035985, 8146699866 or e-mail: etenderhelpdeskpb@gmail.com, pavitar.s@etenderwizard.com

All other details can be seen in the bidding document. Terms and conditions:

- 1. The tender fees and earnest money should be paid through e-payment only. (IPG(Debit & Credit), Net banking & NEFT/OTC only).
- 2. Tender processing fee should be paid through e- payment (Internet Payment Gateway (Debit & Credit), Net banking & National Electronic Funds Transfer/OTC only).
- 3. The Tender documents shall be uploaded in 2 folders.
 - (i) Folder-A: Shall contain pre qualification documents such as Registration, GST No., PAN no. Income Tax Return, and Non Black list Self certificate etc uploaded on website.
 - (ii) Folder-B: shall contain financial bid on the prescribed form.
- 4. In case earnest money of the required value is not deposited, the bids will not be considered and rejected straightaway.
- 5. The folder-A shall be opened only of those bidders whose earnest money is found to be in order.
- 6. The folder –B shall be opened only of those bidders whose technical bid is found fit.

- 7. The final selection of the bidder for the supply of the equipment and consumables will be made on the basis of Bid Evaluation Procedure as per Annexure A.
- 8. Corrigendum /Addendum/Corrections, if any, will be published on the web site only. Firm will have to check the website regularly for any update.
- 9. Tender will be opened in the Office of Director, Computer Centre, at Punjabi University, Patiala.

PRE-QUALIFICATION REQUIREMENTS:-

- 1. Manufacturers/Suppliers/Authorized Distributors/Dealers etc. can participate.
- 2. The bidders will have to provide their own PAN and GST no. wherever applicable.
- 3. The bidders shall submit copies of income tax return for the last 2 years.
- 4. The bidders shall also submit Self certification that they have not been debarred/blacklisted by any Govt./ Semi Govt. Organization or any Corporation at any stage.

Other Terms and Conditions:

- 1. University reserves the right to inspect the material to be received from the bidder/suppliers.
- 2. Prices should be inclusive of all taxes and levies in INR, F.O.R Punjabi University Patiala.
- 3. All items to be supplied must be branded and shall be amply supported onsite directly by OEM. All Return Material Authorization (RMA) shall be in name of Punjabi University, Patiala.
- 4. The equipment is to be made available/ installed within 4-6 weeks from date of placing confirmed Purchase Order along with all the bills.
- 5. If there is holiday on the receipt/opening day of the tender, the tender shall be received / opened on the next working day at the same time.
- 6. The Registrar, Punjabi University reserves the right to reject the tender without assigning any reason before/after opening of the tenders and the tenderers shall have no right or any claim whatsoever for the same on this account.
- 7. The order for quantity of different items can be increased or decreased. The Suppliers/ Tenderers shall have no right or any claim what so ever for the same on this account.
- 8. The rate quoted by the bidder shall be inclusive of all taxes levied by Central Govt. or State Govt. Authority including their variations as notified by the Concerned Authority from time to time and also of all the new taxes and levies that may be imposed.
- 9. The bidder shall comply with proper by-laws and legal orders of the local body or authority under the jurisdiction of which the supply is executed and pay all fees and charges for which he may be liable. Nothing extra shall be payable by the University on this account.
- 10. The quoted rates shall be valid for full time limit.
- 11. Bidder will supply the material on quoted rates which include F.O.R., Loading, Unloading, stacking and inclusive of all taxes.
- 12. An agreement will have to be signed with the Registrar, Punjabi University Patiala within 3 days of issue of supply order.
- 13. In case of failure of supply of material as per ordered specifications, the University reserves the right to reject the supply order/ imposition of penalty/ forfeiture of security deposited by the bidder.
- 14. Performance Bank Guarantee (PBG)

In case the total order value of items becomes Rs. 5.0 lakh or above, 10% of the cost price in the form of Bank Guarantee or FDR pledged in the favor of "The Registrar, Punjabi University, Patiala" is required at the time of installation of the equipment which should remain valid at least during the warranty period plus 3 months.

15. Payment terms

The payment will be made against invoice/bill after delivery and installation of the equipment in INR currency only.

16. Acceptance of Terms and Conditions

Bidders must confirm the acceptance of all the terms and conditions of this tender notice. Any non-acceptance or deviation from the terms and conditions must be clearly mentioned. However, tenderers must note carefully that any conditional offer or any deviation from the terms and conditions of this tender notice may render the quotation liable for rejection.

17. Power supply

The equipment should be quoted only for 220 volts and 50 Hz supply.

- 18. Duly signed and stamped certificate of atleast 3 years comprehensive on-site warranty as per Annexure B should be attached with the technical bid. Successful firm will be required to agree for payment of penalty for exceeding permissible downtime during guarantee/warranty period.
- 19. Country of origin of the quoted item should be mentioned in the offer in case of imported item.

20. Customs Duty or Excise Duty:

Punjabi University Patiala is exempted from the payment of Customs Duty/Excise Duty. CDEC/EDEC with DSIR Certificate will be provided along with the order (if applicable).

21. Service Facility:

Bidder should mention about the service set up in India and how capable they are to provide after sales services.

22. Installation and Training:

It should be included by the bidder, in the offer without any extra cost.

23. Banker's details:

Name and address of the banker of the bidder/company should be mentioned.

24. Reference of supply:

Name and contacts details of the premier educational Institutes where the quoted equipment has been installed in India should be attached as per Annexure-C during the last 3 years. Copies of at least two purchase orders may be attached (if possible). Punjabi University Patiala reserves the right to inspect the equipment for its actual performance in any of the listed Institute. The list of installations with contact details for the last 3 years must be provided.

25. Arbitration

In the event of failure to carry out the contractual obligations within the stipulated period or extended period and termination of the contract for any reason, violation of warranties etc., Punjabi University Patiala shall have the right to carry out the unfinished obligation at the exclusive cost and risk of the bidder/firm, after due notice and the difference so accrued shall be recoverable from the bidder/firm.

- 25.1 The provision of the Arbitration and Conciliation Act, 1996 or as at the relevant time and of rules framed there under and any statutory modifications thereof shall be deemed to apply and be incorporated in this agreement.
- 25.2 Upon every or any such reference, the costs of any incidentals to the reference and award(s) respectively shall be at the reasonable discretion of the Arbitrators or in the event of their not agreeing, of the mediator appointed by them who may determine the amount thereof or direct the same to be fixed as between solicitors and client or as between parties and shall direct by whom and in what manner the same shall be borne and paid.
- 25.3 Panel of arbitrators will be provided by Punjabi University Patiala out of which the bidder will have to select one.
- 25.4 The bidder shall have no objection if the officer who has dealt with the case at any stage is nominated as an arbitrator. Further, that one of the arbitrator's shall be Accounts Expert.
- 25.5 In case of vacancy being caused due to resignation, death or incapacity of the arbitrator(s) to function as such, the same shall be provided in the aforesaid manner and the new arbitrator(s) shall proceed from the stage at which vacancy is caused.

26. Jurisdiction:

The Courts of Patiala alone will have the jurisdiction to try any matter, dispute or difference between the parties arising out of this tender/contract. It is specifically agreed that no Court outside and other than Patiala court shall have jurisdiction in the matter.

27. Force Majuere:

Any failure of omission or commission to carry out the provision of this contract by the supplier shall not give rise to any claim by one party, one against the other, if such failure of omission or commission arises from an act of God; which shall include all acts of natural calamities such as fire, flood, earthquake, hurricane, or any pestilence or from civil strikes, compliance with any statute and/or regulations of the Government, lockouts and strikes, riots, embargoes or from any political or other reason beyond the supplier's control including war (whether declared or not) civil war or stage of insurrection, provided that notice of the occurrence of any event by either party to the other shall be given within two weeks from the date of occurrence of such an event which could be attributed to Force Majuere conditions.

28. Risk & Cost

In the event of failure to carry out the contractual obligations, within the stipulated period or extended period and determination of the contract for any reason, violation of warranties etc. the Punjabi University Patiala shall have the right to carry out the unfinished obligation at the exclusive cost and risk of the bidder, after due notice and the difference so accrued shall be recoverable from the bidder.

- 29. The material found defective upon opening by the supplier representative in presence of Central stores personnel/indenter of Punjabi University Patiala or not as per tendered specifications will be lifted back at the cost and risk of the supplier. The material lying in the Punjabi University Patiala premises would be at supplier's risk and cost.
- 30. Prebid online conferece will be held before the last date for receipt of online tender.

31. In case of any clarification regarding tender contact at phone no. $\underline{9779932011}$

Director, Entrepreneurship, Innovation and Career Hub Punjabi University, Patiala

BIDS EVALUATION PROCEDURE

Technical Bid and Financial Bid

Punjabi University's purchase committee will evaluate the technical and financial bids. Decision of the committee would be final and binding on all the bidders.

Evaluation of Technical bid

- (i) Before submission of the technical bid, bidders are expected to meet the qualifying criteria (Requirements) as mentioned in the tender document. Bidders failing to meet these criteria or not submitting requisite supporting documents/documentary evidence for supporting the eligibility criteria are liable to be rejected summarily.
- (ii) The technical bids must be complete in all respect and should cover the entire scope as stipulated in the tender document.
- (iii) The bid should cover the entire scope of technical specifications.
- (iv) Floor plans for the processing line to be laid out by vendor.
- (v) Information as provided in Annexure C.

In case of ties after financial opening, L1 will be finalized as per the following:

The bid providing the highest period of warranty, will be finalized.

Director, Entrepreneurship, Innovation and Career Hub Punjabi University, Patiala.

CERTIFICATE OF WARRANTY

- i) I/We certify that the warranty shall be for a period of ______ years comprehensive onsite warranty starting from the date of satisfactory installation, commissioning and handling of the equipment and of the works conducted therewith covered under the supply order in working order. During the warranty period, I/we shall provide free "after sale service" and the replacement of any part(s) of the equipment or rectification of defects of work of the equipment will be free of cost. The replacement of the parts shall be arranged by us, at our own cost and responsibility. We undertake that the above warranty shall begin only from the date of satisfactory and faultless functioning of the equipment for 60 days at Punjabi University Patiala premises. The benefit of change in dates of the warranty period shall be in the interest of Punjabi University, Patiala.
- ii) During the warranty period, we shall provide at least one preventive annual maintenance visit.
- iii) Uptime Guarantee: During the warranty period, we will be responsible to maintain the equipment in good working conditions for a period 328 days (i.e. 90% uptime) in a block of 365 days.
 - (a) All complaints will be attended by us within 2 weeks of receipt of the complaint in our office.
 - (b) In case there is delay of more than 2 weeks in attending to a complaint from our side then you can count the number of days in excess of the permissible response time in the downtime. The above said response time of 2 weeks for attending to a complaint by us will not be counted in the downtime.
 - (c) Penalty: We shall pay a penalty equivalent to 0.1% of the FOB value of the equipment for every week or part thereof delay in rectifying the defect.

Note: The right to accept the reason (s) for delay and consider reduction or waive off the penalty for the same shall be at the sole discretion of Registrar, Punjabi University Patiala.

- iv) We certify that the equipment being quoted is the latest model and that spares for the equipment will be available for a period of at least 10 years and we also guarantee that we will keep the organization informed of any update of the equipment over a period of 10 years.
- v) We guarantee that in case we fail to carry out the maintenance within the stipulated period, Punjabi University Patiala reserves the right to get the maintenance work carried out at our risk, cost and responsibility after informing us. All the expenses including excess payment for repairs/maintenance shall be adjusted against the Performance Bank Guarantee. In case the expenses exceed the amount of Performance Bank Guarantee, the same shall be recoverable from us with/without interest in accordance with the circumstances.
- vi) We shall try to repair the equipment at Punjabi University Patiala premises itself. However, the equipment will be taken to our site on our own expenses in case it is not possible to repair the same at Punjabi University Patiala. We shall take the entire responsibility for the safe custody and transportation of the equipment taken out for repairs till the equipment is rehabilitated to the Punjabi University Patiala after repair Any loss of equipment or its accessories under its charge on account of theft, fire or any other reasons shall be at our sole risk and responsibility which will be compensated to Punjabi University Patiala for such losses at the FOB/CIF value for the damaged/lost equipment/part, including accessories.
- vii) We undertake to perform calibration after every major repair/breakdown/taking the equipment for repair out of Punjabi University Patiala premises.
- viii) In case of extended warrantee, we undertake to carry out annual calibration of the equipment.
- ix) We guarantee that we will supply spare parts if and when required on agreed basis for an agreed price. The agreed basis could be an agreed discount on the published catalogue price.
- x) We guarantee to the effect that before going out of production of spare parts, we will give adequate advance notice to you so that you may undertake to procure the balance of the life time requirements of spare parts.
- xi) We guarantee the entire unit against defects of manufacture, workmanship and poor quality of components.

<u>ANNEXURE - C</u>

PROFORMA FOR USER/CLIENT LIST

S.	Name & full address	Purchase Order	No. of	Model No.	Contact person with cell
No	of purchaser	No. & Date	units	&date of	phone and e-mail id
			(Qty)	installation	

TECHNICAL SPECIFICATIONS FOR

A MULTIUTILITY FOOD PROCESSING LINE ON A TURNKEY BASIS

Technical Specifications for Supply of a multiutility Food Processing line on a turnkey basis with accessories.

Scope: The food processing line will be used by start-ups and entrepreneurs alike, for processing fruit and vegetable raw material into a finished and aseptically packaged food product (pastes, purees, pulps, jams and jellies).

Technical specifications: A semi- automatic/ automatic line with a capacity of 50 kg/h, with aseptic filling. The machines comprising the line need to have the following specifications:

S.No	Equipment	Specifications	Quantity
1.	1. Washer Continuous system made up of 304 AIS		2
		with 200lt usable well capacity	
2.	Skin Peeling	Made up of 304 SS with continuous operation	1
	Machine in line and have separate systems		
	Ginger, other vegetables and fruits		
3.	Pulverizer	Made up of SS 304, Specific for garlic ginger	1
		with other operational facilities, inline	
		continuous system	
4.	Blancher	Constructed in stainless steel, 18/8 AISI 304.	1
		Automatic lifting of the belt for cleaning of the	
		machine.	
		Dashboard low voltage touch screen to control	
		the various parameters of the machine, and to	
		perform maneuvers for cleaning.	
		Supports the implementation of work programs.	
		Two stainless steel conveyor belts driven by	
		two geared variable speed engines.	
5.	Pulper	S.S. 304 feed and discharge hopper. S.S. 304	1
	1 0.2p 01	collection tray. S.S. 304 covers. Appropriate	
		drive system consisting of motor, pulleys, V	
		belts, bearings etc. Suitable for extracting the	
		pulp and separating the seeds and skin from	
		fruits and vegetables like mango, tomato,	
		guava, papaya, tamarind etc.	
		Mounted on a rigid platform.	
		Coarse pulping screen diameter: 3mm; fine	
		pulping screen diameter: 0.5mm and 0.8mm	

Page **10** of **11**

6.	Collection Tank	Made up of SS304	1
7.	, , , , , , , , , , , , , , , , , , , ,		2
	Kettle equipment SS 316 with 3mm shee		
		jacket part of equipment: SS304 with 5 mm	
		sheet, Insulation: SS316 cladding, 1.6 mm	
		thickness, Structure: SS304, Stirrer	
		Type: Anchor type with scrapper,	
		Heating: Electrical/Induction heating, Heater	
		Capacity: 6 kW, Temperature Control: Inside	
		vessel through non -contact type sensor jacket	
		through direct -in contact type sensor. Fitted	
		with safety valves.	
		Material discharge: Tilting vessel through	
		bottom with SS valve, drive Unit: variable	
		speed branded Motor (1 HP) with gear box &	
		Variable Frequency Drive, ground clearance	
		height: approx. 250 mm, Discharge clearance	
		height: approx. 350mm, overall height: approx.	
		1500 mm, heavy duty leg supports	
8.	Mixing/Blending	Made up of SS 304 with a stirrer of 150 rpm	
	tank	max.	
9.	Juice Extractor	Suitable for extraction of juices from a variety	1
		of fruits like pineapple, orange, apple, ginger,	
		amla etc.	
		Unique spiral design of the machine which	
		ensures high yield juice recovery	
		Continuous feeding/extraction of product to	
		ensure minimal labor.	
10.	Homogenizer	2 stage, with pressure gauge, pulley driven,	
		made up of SS 304, upto 200 bar	
11.	RO plant	Made up of SS and ABS plastic, 50 ltr per hr	1
12.	Finished product	Made up of SS 304, with stirrer	10
12	storage tanks		
13.	Pasteurizer/Sterili	With electrical control panel,	1
	zer	capable of aseptic operation.	
	HTST UHT Mini	Compact, mobile, easy to install.	
	Pilot system with	Continuous and batch operation.	
	electric boiler	Process temperatures 30-92-60°C, up to 150°C.	
		Two stage cooling option, with cooling tower	
		water.	
		Fully automated.	
		Preheating by hot water (indirect).	

Page **11** of **11**

Heating by steam (indirect). Plate and tubular heat exchanger options, with SS 316 pipes. Controlled product preheat and heating temperatures. Simple and rapid switch over between heat exchangers. Automatic product divert with temperature on tubular heat exchanger. Built-in clean in place (CIP) and sterilization in place (SIP) facilities. Integral USB data logging. Touch screen control for case of use. In-line bottling machine for aseptic packaging Pouch capacity of 10 – 100 gm; 500 pouches line 14. Automatic filling line Pouch capacity of 10 – 100 gm; 500 pouches per hr 200 sq ft Hygienic version motor driven pumps with contact parts made of SS 316/304, valves and fittings included-SS 304, food grade rubber pipe For distribution supply to machinery: Mild steel with glass windows, LED indicators, fan, tube lights, etc. Distribution panel with circuit breaker arrangement to all machines 18. Electrical cabling For supply from panel to equipments 1 lot Installation and Training Training Installation of entire set-up to be undertaken, training should be provided by vendor on operation of the processing line, at Punjabi University, Patiala 15. Spares The vendor should also confirm that the spares for the entire instrument will be available for a period of at least seven years after the installation of the instrument. One set of operating manual and service manual (in English) should be provided with the instrument. The manual should be presented in both, hard and soft copy.		<u></u>		
SS 316 pipes. Controlled product preheat and heating temperatures. Simple and rapid switch over between heat exchangers. Automatic product divert with temperature on tubular heat exchanger. Built-in clean in place (CIP) and sterilization in place (SIP) facilities. Integral USB data logging. Touch screen control for ease of use. In-line bottling machine for aseptic packaging 14. Automatic filling Pouch capacity of 10 – 100 gm; 500 pouches In-line per hr 15. Cold storage 200 sq ft Integral USB 316/304, valves and fittings included-SS 304, food grade rubber pipe for distribution supply to machinery: Mild steel with glass windows, LED indicators, fan, tube lights, etc. Distribution panel with circuit breaker arrangement to all machines 18. Electrical cabling For supply from panel to equipments I lot 14. Installation and Training Training Training The vendor should also confirm that the spares for the entire instrument will be available for a period of at least seven years after the installation of the processing line, at Punjabi University, Patiala 16. Manual One set of operating manual and service manual (in English) should be provided with the instrument. The manual should be presented in			Heating by steam (indirect).	
Controlled product preheat and heating temperatures. Simple and rapid switch over between heat exchangers. Automatic product divert with temperature on tubular heat exchanger. Built-in clean in place (CIP) and sterilization in place (SIP) facilities. Integral USB data logging. Touch screen control for ease of use. In-line bottling machine for asceptic packaging Pouch capacity of 10 – 100 gm; 500 pouches per hr 15. Cold storage 200 sq ft 1 Hygicnic version motor driven pumps with contact parts made of SS 316/304, valves and fittings included-SS 304, food grade rubber pipe For distribution supply to machinery: Mild steel with glass windows, LED indicators, fan, tube lights, etc. Distribution panel with circuit breaker arrangement to all machines 18. Electrical cabling For supply from panel to equipments 1 lot Installation of the processing line, at Punjabi University, Patiala 15. Spares The vendor should also confirm that the spares for the entire instrument will be available for a period of at least seven years after the installation of the instrument. One set of operating manual and service manual (in English) should be provided with the instrument. The manual should be presented in			Plate and tubular heat exchanger options, with	
temperatures. Simple and rapid switch over between heat exchangers. Automatic product divert with temperature on tubular heat exchanger. Built-in clean in place (CIP) and sterilization in place (SIP) facilities. Integral USB data logging. Touch screen control for ease of use. In-line bottling machine for aseptic packaging 14. Automatic filling line Pouch capacity of 10 – 100 gm; 500 pouches per hr 15. Cold storage 200 sq ft Hygienic version motor driven pumps with contact parts made of SS 316/304, valves and fittings included-SS 304, food grade rubber pipe For distribution supply to machinery: Mild steel with glass windows, LED indicators, fan, tube lights, etc. Distribution panel with circuit breaker arrangement to all machines 18. Electrical cabling For supply from panel to equipments 14. Installation and Training Training Training included be provided by vendor on operation of the processing line, at Punjabit University, Patiala 15. Spares The vendor should also confirm that the spares for the entire instrument will be available for a period of at least seven years after the installation of the instrument. One set of operating manual and service manual (in English) should be provided with the instrument. The manual should be presented in			SS 316 pipes.	
Simple and rapid switch over between heat exchangers. Automatic product divert with temperature on tubular heat exchanger. Built-in clean in place (CIP) and sterilization in place (SIP) facilities. Integral USB data logging. Touch screen control for ease of use. In-line bottling machine for aseptic packaging Pouch capacity of 10 – 100 gm; 500 pouches per hr 15. Cold storage 200 sq ft 1 1 16. Product transfer pumps and piping 17. Electrical panel For distribution supply to machinery: Mild steel with glass windows, LED indicators, fan, tube lights, etc. Distribution panel with circuit breaker arrangement to all machines 1 1 lot 1 lo			Controlled product preheat and heating	
exchangers. Automatic product divert with temperature on tubular heat exchanger. Built-in clean in place (CIP) and sterilization in place (SIP) facilities. Integral USB data logging. Touch screen control for ease of use. In-line bottling machine for aseptic packaging 14. Automatic filling line per hr 15. Cold storage 200 sq ft 1 1 16. Product transfer pumps and piping for distribution supply to machinery: Mild steel with glass windows, LED indicators, fan, tube lights, etc. Distribution panel with circuit breaker arrangement to all machines 18. Electrical cabling For supply from panel to equipments 1 lot 14. Installation and Training the supply from panel to equipments 1 lot 15. Spares The vendor should also confirm that the spares for the entire instrument will be available for a period of at least seven years after the installation of the instrument. 16. Manual One set of operating manual and service manual (in English) should be provided with the instrument. The manual should be presented in			temperatures.	
Automatic product divert with temperature on tubular heat exchanger. Built-in clean in place (CIP) and sterilization in place (SIP) facilities. Integral USB data logging. Touch screen control for ease of use. In-line bottling machine for aseptic packaging 14. Automatic filling line per hr 15. Cold storage 200 sq ft 1 Hygienic version motor driven pumps with contact parts made of SS 316/304, valves and fittings included-SS 304, food grade rubber pipe 17. Electrical panel For distribution supply to machinery: Mild steel with glass windows, LED indicators, fan, tube lights, etc. Distribution panel with circuit breaker arrangement to all machines 18. Electrical cabling For supply from panel to equipments 1 lot Installation and Training Training should be provided by vendor on operation of the processing line, at Punjabi University, Patiala 15. Spares The vendor should also confirm that the spares for the entire instrument will be available for a period of at least seven years after the installation of the instrument. 16. Manual One set of operating manual and service manual (in English) should be provided with the instrument. The manual should be presented in			Simple and rapid switch over between heat	
tubular heat exchanger. Built-in clean in place (CIP) and sterilization in place (SIP) facilities. Integral USB data logging. Touch screen control for ease of use. In-line bottling machine for aseptic packaging 14. Automatic filling line Pouch capacity of 10 – 100 gm; 500 pouches line 15. Cold storage 200 sq ft Hygienic version motor driven pumps with contact parts made of SS 316/304, valves and fittings included-SS 304, food grade rubber pipe For distribution supply to machinery: Mild steel with glass windows, LED indicators, fan, tube lights, etc. Distribution panel with circuit breaker arrangement to all machines 18. Electrical cabling For supply from panel to equipments 1 lot Installation and Training Training The vendor should also confirm that the spares for the entire instrument will be available for a period of at least seven years after the installation of the instrument. 16. Manual One set of operating manual and service manual (in English) should be provided with the instrument. The manual should be presented in			exchangers.	
Built-in clean in place (CIP) and sterilization in place (SIP) facilities. Integral USB data logging. Touch screen control for ease of use. In-line bottling machine for aseptic packaging 14. Automatic filling line 15. Cold storage 200 sq ft 16. Product transfer pumps and piping 17. Electrical panel 17. Electrical panel 18. Electrical cabling 19. For distribution supply to machinery: Mild steel with glass windows, LED indicators, fan, tube lights, etc. Distribution panel with circuit breaker arrangement to all machines 18. Electrical cabling 19. For supply from panel to equipments 10. Installation and Training 10. Spares The vendor should also confirm that the spares for the entire instrument will be available for a period of at least seven years after the installation of the instrument. 10. Manual One set of operating manual and service manual (in English) should be provided with the instrument. The manual should be presented in			Automatic product divert with temperature on	
place (SIP) facilities. Integral USB data logging. Touch screen control for case of use. In-line bottling machine for aseptic packaging 14. Automatic filling line 15. Cold storage 16. Product transfer pumps and piping 17. Electrical panel 18. Electrical cabling 19. For distribution supply to machinery: Mild steel with glass windows, LED indicators, fan, tube lights, etc. Distribution panel with circuit breaker arrangement to all machines 18. Electrical cabling 14. Installation and Training Training Training The vendor should also confirm that the spares for the entire instrument will be available for a period of at least seven years after the installation of the instrument. 16. Manual Pouch capacity of 10 – 100 gm; 500 pouches 1 lot Hygienic version motor driven pumps with contact parts made of SS 316/304, valves and fittings included-SS 304, food grade rubber pipe For distribution supply to machinery: Mild steel with glass windows, LED indicators, fan, tube lights, etc. Distribution panel with circuit breaker arrangement to all machines 1 lot One set of operating manual and service manual (in English) should be provided with the instrument. The manual should be presented in			tubular heat exchanger.	
Integral USB data logging. Touch screen control for ease of use. In-line bottling machine for aseptic packaging 14. Automatic filling line Pouch capacity of 10 – 100 gm; 500 pouches per hr 15. Cold storage 200 sq ft 16. Product transfer pumps and piping fittings included-SS 316/304, valves and fittings included-SS 304, food grade rubber pipe 17. Electrical panel For distribution supply to machinery: Mild steel with glass windows, LED indicators, fan, tube lights, etc. Distribution panel with circuit breaker arrangement to all machines 18. Electrical cabling For supply from panel to equipments 14. Installation and Training Training Training The vendor should also confirm that the spares for the entire instrument will be available for a period of at least seven years after the installation of the instrument. 16. Manual One set of operating manual and service manual (in English) should be provided with the instrument. The manual should be presented in			Built-in clean in place (CIP) and sterilization in	
Touch screen control for ease of use. In-line bottling machine for aseptic packaging 14. Automatic filling line Pouch capacity of 10 – 100 gm; 500 pouches per hr 15. Cold storage 200 sq ft Hygienic version motor driven pumps with contact parts made of SS 316/304, valves and fittings included-SS 304, food grade rubber pipe 17. Electrical panel For distribution supply to machinery: Mild steel with glass windows, LED indicators, fan, tube lights, etc. Distribution panel with circuit breaker arrangement to all machines 18. Electrical cabling For supply from panel to equipments 1 lot 14. Installation and Training Installation of entire set-up to be undertaken, training should be provided by vendor on operation of the processing line, at Punjabi University, Patiala 15. Spares The vendor should also confirm that the spares for the entire instrument will be available for a period of at least seven years after the installation of the instrument. 16. Manual One set of operating manual and service manual (in English) should be provided with the instrument. The manual should be presented in			place (SIP) facilities.	
In-line bottling machine for aseptic packaging 14. Automatic filling line Pouch capacity of 10 – 100 gm; 500 pouches per hr 15. Cold storage 200 sq ft 1 16. Product transfer pumps and piping Pouch contact parts made of SS 316/304, valves and fittings included-SS 304, food grade rubber pipe For distribution supply to machinery: Mild steel with glass windows, LED indicators, fan, tube lights, etc. Distribution panel with circuit breaker arrangement to all machines 18. Electrical cabling For supply from panel to equipments 1 lot 14. Installation and Training Installation of entire set-up to be undertaken, training should be provided by vendor on operation of the processing line, at Punjabi University, Patiala 15. Spares The vendor should also confirm that the spares for the entire instrument will be available for a period of at least seven years after the installation of the instrument. 16. Manual One set of operating manual and service manual (in English) should be provided with the instrument. The manual should be presented in			Integral USB data logging.	
14. Automatic filling Pouch capacity of 10 – 100 gm; 500 pouches 1			Touch screen control for ease of use.	
line per hr 15. Cold storage 200 sq ft 1 16. Product transfer pumps and piping contact parts made of SS 316/304, valves and fittings included-SS 304, food grade rubber pipe 1 17. Electrical panel For distribution supply to machinery: Mild steel with glass windows, LED indicators, fan, tube lights, etc. Distribution panel with circuit breaker arrangement to all machines 1 18. Electrical cabling For supply from panel to equipments 1 lot 1 14. Installation and Training Installation of entire set-up to be undertaken, training should be provided by vendor on operation of the processing line, at Punjabi University, Patiala 1 15. Spares The vendor should also confirm that the spares for the entire instrument will be available for a period of at least seven years after the installation of the instrument. 16. Manual One set of operating manual and service manual (in English) should be provided with the instrument. The manual should be presented in			In-line bottling machine for aseptic packaging	
15. Cold storage 200 sq ft 1 16. Product transfer pumps and piping 17. Electrical panel 200 sq ft 19. For distribution supply to machinery: Mild steel with glass windows, LED indicators, fan, tube lights, etc. Distribution panel with circuit breaker arrangement to all machines 18. Electrical cabling 19. For supply from panel to equipments 19. Installation and Training 19. Training 19. Spares 19. Spares 19. The vendor should also confirm that the spares for the entire instrument will be available for a period of at least seven years after the installation of the provided with the instrument. The manual should be presented in	14.	Automatic filling	Pouch capacity of 10 – 100 gm; 500 pouches	1
16. Product transfer pumps and piping 17. Electrical panel 18. Electrical cabling 19. Installation and Training 19. Spares 19. Spares 10. The pumps and piping 10. Electrical panel 10. Training 10. Training 10. Electrical cabling 11. Installation and Installation of entire set-up to be undertaken, training should be provided by vendor on operation of the processing line, at Punjabi University, Patiala 15. Spares 16. Manual 17. Electrical panel 18. Electrical cabling 19. For supply from panel to equipments 10. Installation of entire set-up to be undertaken, training should be provided by vendor on operation of the processing line, at Punjabi University, Patiala 16. Manual 17. Electrical panel 18. Electrical panel 19. For distribution supply to machinery: 10. Installation and Installation of entire set-up to be undertaken, training should be provided by vendor on operation of the processing line, at Punjabi University, Patiala 18. Electrical cabling 19. Training 19. Training 19. Training 10. Electrical panel 10. Electrical panel 10. For distribution supply to machinery: 11. Installation and entire installation of entire set-up to be undertaken, training should be provided by vendor on operation of the processing line, at Punjabi University, Patiala 19. Electrical panel 10. Electrical panel 10. Electrical panel 11. Installation of entire set-up to be undertaken, training should be provided by vendor on operation of the instrument will be available for a period of at least seven years after the installation of the instrument. 10. Manual 11. Installation of entire set-up to be undertaken, training should be provided by vendor on operation of the instrument will be available for a period of at least seven years after the installation of the instrument. 10. Manual 11. Installation of entire set-up to be undertaken, training should be provided by vendor on operatio		line	per hr	
pumps and piping contact parts made of SS 316/304, valves and fittings included-SS 304, food grade rubber pipe 17. Electrical panel For distribution supply to machinery: Mild steel with glass windows, LED indicators, fan, tube lights, etc. Distribution panel with circuit breaker arrangement to all machines 18. Electrical cabling For supply from panel to equipments 1 lot 14. Installation and Training Installation of entire set-up to be undertaken, training should be provided by vendor on operation of the processing line, at Punjabi University, Patiala 15. Spares The vendor should also confirm that the spares for the entire instrument will be available for a period of at least seven years after the installation of the instrument. 16. Manual One set of operating manual and service manual (in English) should be provided with the instrument. The manual should be presented in	15.	Cold storage	200 sq ft	1
fittings included-SS 304, food grade rubber pipe 17. Electrical panel For distribution supply to machinery: Mild steel with glass windows, LED indicators, fan, tube lights, etc. Distribution panel with circuit breaker arrangement to all machines 18. Electrical cabling For supply from panel to equipments 1 lot 14. Installation and Training Training Training Training Training The vendor should be provided by vendor on operation of the processing line, at Punjabi University, Patiala 15. Spares The vendor should also confirm that the spares for the entire instrument will be available for a period of at least seven years after the installation of the instrument. 16. Manual One set of operating manual and service manual (in English) should be provided with the instrument. The manual should be presented in	16.	Product transfer		1 lot
17. Electrical panel For distribution supply to machinery: Mild steel with glass windows, LED indicators, fan, tube lights, etc. Distribution panel with circuit breaker arrangement to all machines 1 lot		pumps and piping	<u> </u>	
fan, tube lights, etc. Distribution panel with circuit breaker arrangement to all machines 18. Electrical cabling For supply from panel to equipments 1 lot 14. Installation and Training Tra	17.	Electrical panel	For distribution supply to machinery:	1
Distribution panel with circuit breaker arrangement to all machines 18. Electrical cabling For supply from panel to equipments 1 lot 14. Installation and Training Installation of entire set-up to be undertaken, training should be provided by vendor on operation of the processing line, at Punjabi University, Patiala 15. Spares The vendor should also confirm that the spares for the entire instrument will be available for a period of at least seven years after the installation of the instrument. 16. Manual One set of operating manual and service manual (in English) should be provided with the instrument. The manual should be presented in				
18. Electrical cabling For supply from panel to equipments 1 lot 14. Installation and Training Installation of entire set-up to be undertaken, training should be provided by vendor on operation of the processing line, at Punjabi University, Patiala 15. Spares The vendor should also confirm that the spares for the entire instrument will be available for a period of at least seven years after the installation of the instrument. 16. Manual One set of operating manual and service manual (in English) should be provided with the instrument. The manual should be presented in			Distribution panel with circuit breaker	
14. Installation and Training Installation of entire set-up to be undertaken, training should be provided by vendor on operation of the processing line, at Punjabi University, Patiala 15. Spares The vendor should also confirm that the spares for the entire instrument will be available for a period of at least seven years after the installation of the instrument. 16. Manual One set of operating manual and service manual (in English) should be provided with the instrument. The manual should be presented in	18.	Electrical cabling		1 lot
Training should be provided by vendor on operation of the processing line, at Punjabi University, Patiala 15. Spares The vendor should also confirm that the spares for the entire instrument will be available for a period of at least seven years after the installation of the instrument. 16. Manual One set of operating manual and service manual (in English) should be provided with the instrument. The manual should be presented in			11 7 1 1	
University, Patiala 15. Spares The vendor should also confirm that the spares for the entire instrument will be available for a period of at least seven years after the installation of the instrument. One set of operating manual and service manual (in English) should be provided with the instrument. The manual should be presented in			training should be provided by vendor on	
15. Spares The vendor should also confirm that the spares for the entire instrument will be available for a period of at least seven years after the installation of the instrument. 16. Manual One set of operating manual and service manual (in English) should be provided with the instrument. The manual should be presented in			, <u>.</u>	
period of at least seven years after the installation of the instrument. 16. Manual One set of operating manual and service manual (in English) should be provided with the instrument. The manual should be presented in	15.	Spares	The vendor should also confirm that the spares	
installation of the instrument. One set of operating manual and service manual (in English) should be provided with the instrument. The manual should be presented in				
(in English) should be provided with the instrument. The manual should be presented in	17	M1	installation of the instrument.	
instrument. The manual should be presented in	16.	ivianual		
both, nard and soft copy.			-	
17 Computer 501-37 A = 11-34	17	Cananatan		1
17. Generator 50kVA, silent 1	1/.	Generator	OUKVA, SHent	1